

9989 Hook-up/Lead - UL AWM Style 1569

	For more Information please call 1-800-Belden1
---	--



Description

Tinned copper conductor, PVC insulation. Rated 105°C, 300V. Rated 600V peak for electronic circuits, and internal wiring of electronic and electrical equipment.

Physical Characteristics (Overall):

Conductor:

AWG

# Conductors	AWG	Stranding	Conductor Material
1	14	41x30	TC - Tinned Copper

Insulation:

Insulation Material

Ins Material	Wall Thickness (in.)
PVC - Polyvinyl Chloride	0.015

Overall Insulation:

Stock Colors (Kennedy)

Putup	Colors
1000	1-5, 7-10, 13
5000	1-5, 7-10, 13

Overall Cabling:

Overall Nominal Diameter: .110 in.

Applicable Specifications and Agency Compliance (Overall):

Applicable Standards:

UL AWM Style	1569
UL Rating	300 V RMS, 105°C
CSA Rating	300 V RMS, 90°C and 300 V, 105°C
CSA Type	TR-64, TRSR-64
EU CE Mark (Y/N)	Yes
EU RoHS Compliant (Y/N)	Yes
EU RoHS Compliance Date (mm/dd/yyyy)	10/01/2005

Flame Test:

UL Flame Test	VW-1
CSA Flame Test	FT1

Plenum/Non-Plenum:

Plenum (Y/N)	N
--------------	---

PUT UPS AND COLORS:

Item #	Putup	Ship Weight	Jacket Color	Notes	Item Desc
9989 0011000	1,000 FT	17.000 LB	BROWN	P	#14 STR PVC BRN BRN
9989 0021000	1,000 FT	17.000 LB	RED	P	#14 STR PVC RED RED
9989 0031000	1,000 FT	17.000 LB	ORANGE	P	#14 STR PVC ORG ORG
9989 0041000	1,000 FT	17.000 LB	YELLOW	P	#14 STR PVC YEL YEL

9989 Hook-up/Lead - UL AWM Style 1569

9989 0051000	1,000 FT	17.000 LB	GREEN, DARK	P	#14 STR PVC DGRN GRNDK
9989 0071000	1,000 FT	17.000 LB	VIOLET	P	#14 STR PVC VIO VIO
9989 0091000	1,000 FT	17.000 LB	WHITE	P	#14 STR PVC WHT WHT
9989 0101000	1,000 FT	17.000 LB	BLACK	P	#14 STR PVC BLK BLK
9989 0131000	1,000 FT	17.000 LB	BLUE, DARK	P	#14 STR PVC DBLU BLUDK

Notes:

P = STRIPE COLORS ON STOCK SOLID COLORS. STRIPING ADDER OF \$8.00/M' FOR 1 OR 2 STRIPES. 10000' MINIMUM ORDER FOR COLOR COMBINATION. PUT-UP WILL BE SUBJECT TO TWO PIECES (+ OR -) 10% PER SPOOL

Revision Number: 1 Revision Date: 05-14-2007

© 2007 Belden, Inc
All Rights Reserved.

Although Belden makes every reasonable effort to ensure their accuracy at the time of this publication, information and specifications described herein are subject to error or omission and to change without notice, and the listing of such information and specifications does not ensure product availability.

Belden provides the information and specifications herein on an "AS IS" basis, with no representations or warranties, whether express, statutory or implied. In no event will Belden be liable for any damages (including consequential, indirect, incidental, special, punitive, or exemplary damages) whatsoever, even if Belden has been advised of the possibility of such damages, whether in an action under contract, negligence or any other theory, arising out of or in connection with the use, or inability to use, the information or specifications described herein.

All sales of Belden products are subject to Belden's standard terms and conditions of sale.

Belden believes this product to be in compliance with the following environmental regulations: California Proposition 65 Consent Judgment For Wire & Cable Mfgs. (San Francisco Superior Court Nos. 312962 And 320342); EU RoHS (Directive 2002/95/EC, 27-Jan-2003); Material manufactured prior to the compliance date may still be in stock at Belden facilities and in our Distributor's inventory; and China Ministry of Information Industry order#39 (China RoHS), EU ELV (Directive 2000/53/EC, 18-Sept-2000); EU WEEE (Directive 2002/96/EC, 27-Jan-2003); EU BFR (Directive 2003/11/EC, 6-Feb-2003). The information provided in this Product Disclosure, and the identification of materials listed as reportable or restricted within the Product Disclosure, is correct to the best of Belden's knowledge, information and belief at the date of its publication. The information provided in the Product Disclosure is designed only as a general guide for the safe handling, storage, and any other operation of the product itself or the one that it becomes a part of. This Product Disclosure is not to be considered a warranty or quality specification. Regulatory information is for guidance purposes only. Product users are responsible for determining the applicability of legislation and regulations based on their individual usage of the product.

Belden declares this product to be in compliance with EU LVD (Low Voltage Directive 73/23/EEC), as amended by directive 93/68/EEC.